

Windows®. Life without Walls™. Panasonic recommends Windows 7.

THE TOUGHBOOK H1 FIELD

The industry's most rugged handheld tablet PC.

In your world, getting the job done means being on the move. The new rugged Panasonic Toughbook® H1 Field handheld tablet PC is the ultimate productivity tool for mobile workers. With superior ergonomics, a 10.4" sunlight-viewable screen and sealed all-weather design, the H1 Field lets you work virtually anywhere. Designed with a magnesium alloy internal frame, the IP65 and MIL-STD-810G¹ certified Toughbook H1 Field delivers a complete range of integrated wireless features including Wi-Fi, Bluetooth® and optional Gobi™2000 mobile broadband. Add to that fast charging hot-swappable twin batteries for maximum uptime, optional integrated GPS and SmartCard reader, and you've got a handheld tablet PC that is unmatched in the field.

IP65

**6-FOOT
DROP RATING**

**MIL-STD-
810G**

*The first MIL-STD-810G
and IP65 certified
handheld tablet PC¹*



TOUGHBOOK®

THE PANASONIC TOUGHBOOK H1 FIELD.

DURABILITY FEATURES

- MIL-STD-810G certified (6' drop, shock, vibration, rain, dust, sand, altitude, freeze/thaw, high/low temperature, temperature shock, humidity, explosive atmosphere)¹
- IP65 certified¹ sealed all-weather design
- CCX Certified v4
- Magnesium alloy chassis encased with polycarbonate
- Reinforced flex-connect solid state drive (SSD)
- Integrated handle and ergonomic rubber hand strap
- Reinforced locking port covers

SOFTWARE

- Genuine Windows® 7 Professional²
- Panasonic Utilities (including Dashboard and Cleaning Reminder Tool), Recovery DVD

CPU

- Intel® Atom™ Processor Z540 (1.86GHz, 512KB L2 Cache, 533MHz FSB)

STORAGE & MEMORY

- 2GB SDRAM (DDR2)³
- 64GB reinforced flex-connect solid state drive (SSD)⁴

DISPLAY

- 10.4" dual touch 1024 x 768 XGA sunlight-viewable LCD
- Intel® SCH (GMA 500 video controller) max. 256MB UMA VRAM⁵
- 500 nit LCD brightness
- Circular polarizer with anti-glare and anti-reflective screen treatments

AUDIO

- Intel® high-definition audio compliant
- Integrated speaker

KEYBOARD & INPUT

- Dual touch LCD (touchscreen and digitizer)
- Integrated stylus holder
- 74-key on-screen keyboard with dedicated Windows® key
- Up to 5 user-defined programmable buttons (varies by model)

INTERFACE

- Docking connector Dedicated 19-pin

WIRELESS

- Optional integrated Gobi™2000 mobile broadband
- Intel® Wireless WiFi Link 5100 802.11a/b/g/n
- Bluetooth® v2.1 + EDR (Class 1)
- Security
 - Authentication: LEAP, WPA, 802.1x, EAP-TLS, EAP-FAST, PEAP
 - Encryption: CKIP, TKIP, 128-bit and 64-bit WEP, Hardware AES

POWER SUPPLY

- Twin hot-swappable lithium ion battery packs (typical 2900mAh, nominal 2750mAh each battery)
- Battery operation: 6 hours (with both batteries)⁶
- Battery charging time: 5.5 hours off, 5.5 hours on⁶
- AC Adapter: AC 100V-240V 50/60Hz, auto sensing/switching worldwide power supply

POWER MANAGEMENT

- Suspend/Resume Function, Hibernation, Standby, ACPI BIOS

SECURITY FEATURES

- Password Security: Supervisor, User, Hard Disk Lock
- Trusted platform module (TPM) security chip v.1.2
- Computrace® theft protection agent in BIOS⁷
- Fingerprint reader (on Elite model)
- Insertable SmartCard reader (on Elite model)
- Contactless SmartCard reader (on Elite model)

INTEGRATED FEATURES

- H1 FIELD LITE**
 - Base model
- H1 FIELD PRO**
 - 2MP camera with dual LED light
 - Barcode reader
- H1 FIELD ELITE**
 - 2MP camera with dual LED light
 - Barcode reader
 - Insertable SmartCard reader
 - 13.56MHz Contactless RFID and SmartCard reader
 - ISO 15693 and 14443 A/B compliant
 - Fingerprint reader

WARRANTY

- 3-year limited warranty, parts and labor

DIMENSIONS & WEIGHT

- 10.4" (L) x 10.6" (W) x 1.3-2.3" (H)
- 3.4 lbs. (with handle, strap and both batteries)

SAFETY CERTIFICATIONS

- IT Equipment Safety (EN:EU, UL:US) EN/IEC 60950-1 UL 60950-1
- Medical Electrical Equipment Safety (EU) EN/IEC 60601-1
- Medical Electrical Equipment Safety (Canada) (with battery operation) CAN/CSA-C22.2 No.601.1-M90
- IT Equipment EMI (US) FCC CFR 47 P.15 Sub B-Class B
- IT Equipment EMI (EU) EN 55022/CISPR 22-Class B
- IT Equipment EMS (EU) EN 55024
- Industrial EMI (EU) EN 55011/CISPR 11-Class B
- Radio (US) FCC CFR 47 P.15 Sub C
- Radio (Canada) RSS-210
- SAR (US) FCC CFR 47 P.2



- The First MIL-STD-810G and IP65 Certified Handheld Tablet PC¹
- 6-foot Drop Rating¹
- Sunlight-viewable 10.4" Dual Touch Display
- Designed for Vehicle Use
- Long-life Hot-swappable Twin Batteries Provide Limitless Hours of Use
- Available Built-in Camera, RFID, SmartCard and Barcode Readers
- Wi-Fi, Bluetooth®, Optional Gobi™ Mobile Broadband and GPS

INTEGRATED OPTIONS⁸

- Gobi™2000 mobile broadband (EV-DO Rev. A, HSPA)
- GPS receiver

ACCESSORIES⁹

- AC Adapter (3-pin) CF-AA1633AM
- 4-bay Battery Charger CF-VCBU11U
- Lithium Ion Battery Pack CF-VZSU53W
- LIND Car Adapter 120W CF-LNDDC120
- LIND Car Adapter 120W Mounting Bracket CF-LNDBRK120
- LIND Car/AC Adapter 90W (with USB port) CF-LNDACDC90
- LIND Car Adapter 90W MIL-STD CF-LNDMLDC90
- LIND Shutdown Timer CF-LNDLPT
- InfoCase H1 Field Shoulder Strap TBCH1SS-BLK-P
- InfoCase H1 Inversion Strap TBCH1SSINV-P
- InfoCase H1 Always-on Sleeve TBCH1SLVE-P
- InfoCase U1/H1 Battery Pouch TBCU1BPCH-P
- Desktop Cradle / Spare 2-Bay Battery Charger CF-VEBH11BU
- Magnetic Micro-dock (USB x2, LAN) CF-VEBH12U
- Replacement Stylus (with tether hole and pocket clip) CF-VNP011U
- 10.4" LCD Protector Film CF-VPF13AU
- Gamber-Johnson Wall/Cart Mount 7160-0166
- Gamber-Johnson Wall/Cart Mount (no electronics) 7160-0167
- Gamber-Johnson Vehicle Dock (no pass-through) 7160-0223
- Gamber-Johnson Vehicle Dock (no electronics) 7160-0224

Please consult your reseller or Panasonic representative before purchasing.
¹Tested by a national independent third party lab following MIL-STD-810G Method 516.6 Procedure IV for transit drop test and IEC 60529 Sections 13.4, 13.6.2, 14.2.5 and 14.3 for IP65. Stylus has passed IP65 testing but has not been certified.

²A full set of Windows XP drivers are available at panasonic.com/toughbook/support.

³Total usable memory will be less depending upon actual system configuration.
⁴1GB = 1,000,000,000 bytes.

⁵Max with standard RAM. The size of the VRAM cannot be set by the user and varies by operating system as well as size of RAM.

⁶Battery performance features such as charge time and life span can vary according to the conditions under which the computer and battery are used. Battery operation and recharge times will vary based on many factors, including screen brightness, applications, features, power management, battery conditioning and other customer preferences. Battery testing results from MobileMark 2007.

⁷Requires software and activation to enable theft protection.

⁸Accessories and Integrated Options may vary depending on your configuration.

1.800.662.3537 / panasonic.com/toughbook/H1-Field

Financing options now available from Panasonic Finance Solutions; please call number above for more details.

Panasonic is constantly enhancing product specifications and accessories. Specifications subject to change without notice. Trademarks are property of their respective owners. ©2010 Panasonic Corporation of North America. All rights reserved.

TOUGHBOOK